




M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
直型母接頭-裸線 straight socket, free cable end			
M12N-FD-R100	2x4x26AWG	10	PVC
M12N-FD-R050	2x4x26AWG	5	PVC
M12N-FD-R030	2x4x26AWG	3	PVC
M12N-FD-R015	2x4x26AWG	1.5	PVC
M12N-FD-RE100	2x4x26AWG	10	PVC with Shield
M12N-FD-RE050	2x4x26AWG	5	PVC with Shield
M12N-FD-RE030	2x4x26AWG	3	PVC with Shield
M12N-FD-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-FD-P100	2x4x26AWG	10	PUR
M12N-FD-P050	2x4x26AWG	5	PUR
M12N-FD-P030	2x4x26AWG	3	PUR
M12N-FD-P015	2x4x26AWG	1.5	PUR
M12N-FD-PE100	2x4x26AWG	10	PUR with Shield
M12N-FD-PE050	2x4x26AWG	5	PUR with Shield
M12N-FD-PE030	2x4x26AWG	3	PUR with Shield
M12N-FD-PE015	2x4x26AWG	1.5	PUR with Shield


M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
直型公接頭-裸線 straight plug, free cable end			
M12N-MD-R100	2x4x26AWG	10	PVC
M12N-MD-R050	2x4x26AWG	5	PVC
M12N-MD-R030	2x4x26AWG	3	PVC
M12N-MD-R015	2x4x26AWG	1.5	PVC
M12N-MD-RE100	2x4x26AWG	10	PVC with Shield
M12N-MD-RE050	2x4x26AWG	5	PVC with Shield
M12N-MD-RE030	2x4x26AWG	3	PVC with Shield
M12N-MD-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-MD-P100	2x4x26AWG	10	PUR
M12N-MD-P050	2x4x26AWG	5	PUR
M12N-MD-P030	2x4x26AWG	3	PUR
M12N-MD-P015	2x4x26AWG	1.5	PUR
M12N-MD-PE100	2x4x26AWG	10	PUR with Shield
M12N-MD-PE050	2x4x26AWG	5	PUR with Shield
M12N-MD-PE030	2x4x26AWG	3	PUR with Shield
M12N-MD-PE015	2x4x26AWG	1.5	PUR with Shield


M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, Straight Socket			
M12N-FJD-R030	2x4x26AWG	3.0	PVC
M12N-FJD-R015	2x4x26AWG	1.5	PVC
M12N-FJD-R006	2x4x26AWG	0.6	PVC
M12N-FJD-R003	2x4x26AWG	0.3	PVC
M12N-FJD-RE030	2x4x26AWG	3.0	PVC with Shield
M12N-FJD-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-FJD-RE006	2x4x26AWG	0.6	PVC with Shield
M12N-FJD-RE003	2x4x26AWG	0.3	PVC with Shield
M12N-FJD-P030	2x4x26AWG	3.0	PUR
M12N-FJD-P015	2x4x26AWG	1.5	PUR
M12N-FJD-P006	2x4x26AWG	0.6	PUR
M12N-FJD-P003	2x4x26AWG	0.3	PUR
M12N-FJD-PE030	2x4x26AWG	3.0	PUR with Shield
M12N-FJD-PE015	2x4x26AWG	1.5	PUR with Shield
M12N-FJD-PE006	2x4x26AWG	0.6	PUR with Shield
M12N-FJD-PE003	2x4x26AWG	0.3	PUR with Shield


M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, Straight Socket			
M12N-FJD-R100	2x4x26AWG	10	PVC
M12N-FJD-R050	2x4x26AWG	5	PVC
M12N-FJD-R030	2x4x26AWG	3	PVC
M12N-FJD-R015	2x4x26AWG	1.5	PVC
M12N-FJD-RE100	2x4x26AWG	10	PVC with Shield
M12N-FJD-RE050	2x4x26AWG	5	PVC with Shield
M12N-FJD-RE030	2x4x26AWG	3	PVC with Shield
M12N-FJD-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-FJD-P100	2x4x26AWG	10	PUR
M12N-FJD-P050	2x4x26AWG	5	PUR
M12N-FJD-P030	2x4x26AWG	3	PUR
M12N-FJD-P015	2x4x26AWG	1.5	PUR
M12N-FJD-PE100	2x4x26AWG	10	PUR with Shield
M12N-FJD-PE050	2x4x26AWG	5	PUR with Shield
M12N-FJD-PE030	2x4x26AWG	3	PUR with Shield
M12N-FJD-PE015	2x4x26AWG	1.5	PUR with Shield


M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
彎型母接頭-裸線 90° socket, free cable end			
M12L-FD-R100	2x4x26AWG	10	PVC
M12L-FD-R050	2x4x26AWG	5	PVC
M12L-FD-R030	2x4x26AWG	3	PVC
M12L-FD-R015	2x4x26AWG	1.5	PVC
M12L-FD-RE100	2x4x26AWG	10	PVC with Shield
M12L-FD-RE050	2x4x26AWG	5	PVC with Shield
M12L-FD-RE030	2x4x26AWG	3	PVC with Shield
M12L-FD-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-FD-P100	2x4x26AWG	10	PUR
M12L-FD-P050	2x4x26AWG	5	PUR
M12L-FD-P030	2x4x26AWG	3	PUR
M12L-FD-P015	2x4x26AWG	1.5	PUR
M12L-FD-PE100	2x4x26AWG	10	PUR with Shield
M12L-FD-PE050	2x4x26AWG	5	PUR with Shield
M12L-FD-PE030	2x4x26AWG	3	PUR with Shield
M12L-FD-PE015	2x4x26AWG	1.5	PUR with Shield

M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
彎型公接頭-裸線 90° plug, free cable end			
M12L-MD-R100	2x4x26AWG	10	PVC
M12L-MD-R050	2x4x26AWG	5	PVC
M12L-MD-R030	2x4x26AWG	3	PVC
M12L-MD-R015	2x4x26AWG	1.5	PVC
M12L-MD-RE100	2x4x26AWG	10	PVC with Shield
M12L-MD-RE050	2x4x26AWG	5	PVC with Shield
M12L-MD-RE030	2x4x26AWG	3	PVC with Shield
M12L-MD-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-MD-P100	2x4x26AWG	10	PUR
M12L-MD-P050	2x4x26AWG	5	PUR
M12L-MD-P030	2x4x26AWG	3	PUR
M12L-MD-P015	2x4x26AWG	1.5	PUR
M12L-MD-PE100	2x4x26AWG	10	PUR with Shield
M12L-MD-PE050	2x4x26AWG	5	PUR with Shield
M12L-MD-PE030	2x4x26AWG	3	PUR with Shield
M12L-MD-PE015	2x4x26AWG	1.5	PUR with Shield


M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, 90° Socket			
M12L-FMD-R030	2x4x26AWG	3.0	PVC
M12L-FMD-R015	2x4x26AWG	1.5	PVC
M12L-FMD-R006	2x4x26AWG	0.6	PVC
M12L-FMD-R003	2x4x26AWG	0.3	PVC
M12L-FMD-RE030	2x4x26AWG	3.0	PVC with Shield
M12L-FMD-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-FMD-RE006	2x4x26AWG	0.6	PVC with Shield
M12L-FMD-RE003	2x4x26AWG	0.3	PVC with Shield
M12L-FMD-P030	2x4x26AWG	3.0	PUR
M12L-FMD-P015	2x4x26AWG	1.5	PUR
M12L-FMD-P006	2x4x26AWG	0.6	PUR
M12L-FMD-P003	2x4x26AWG	0.3	PUR
M12L-FMD-PE030	2x4x26AWG	3.0	PUR with Shield
M12L-FMD-PE015	2x4x26AWG	1.5	PUR with Shield
M12L-FMD-PE006	2x4x26AWG	0.6	PUR with Shield
M12L-FMD-PE003	2x4x26AWG	0.3	PUR with Shield


M12 D CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, 90° Socket			
M12L-FJD-R100	2x4x26AWG	10	PVC
M12L-FJD-R050	2x4x26AWG	5	PVC
M12L-FJD-R030	2x4x26AWG	3	PVC
M12L-FJD-R015	2x4x26AWG	1.5	PVC
M12L-FJD-RE100	2x4x26AWG	10	PVC with Shield
M12L-FJD-RE050	2x4x26AWG	5	PVC with Shield
M12L-FJD-RE030	2x4x26AWG	3	PVC with Shield
M12L-FJD-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-FJD-P100	2x4x26AWG	10	PUR
M12L-FJD-P050	2x4x26AWG	5	PUR
M12L-FJD-P030	2x4x26AWG	3	PUR
M12L-FJD-P015	2x4x26AWG	1.5	PUR
M12L-FJD-PE100	2x4x26AWG	10	PUR with Shield
M12L-FJD-PE050	2x4x26AWG	5	PUR with Shield
M12L-FJD-PE030	2x4x26AWG	3	PUR with Shield
M12L-FJD-PE015	2x4x26AWG	1.5	PUR with Shield


M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
直型母接頭-裸線 straight socket, free cable end			
M12N-FX-R100	2x4x26AWG	10	PVC
M12N-FX-R050	2x4x26AWG	5	PVC
M12N-FX-R030	2x4x26AWG	3	PVC
M12N-FX-R015	2x4x26AWG	1.5	PVC
M12N-FX-RE100	2x4x26AWG	10	PVC with Shield
M12N-FX-RE050	2x4x26AWG	5	PVC with Shield
M12N-FX-RE030	2x4x26AWG	3	PVC with Shield
M12N-FX-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-FX-P100	2x4x26AWG	10	PUR
M12N-FX-P050	2x4x26AWG	5	PUR
M12N-FX-P030	2x4x26AWG	3	PUR
M12N-FX-P015	2x4x26AWG	1.5	PUR
M12N-FX-PE100	2x4x26AWG	10	PUR with Shield
M12N-FX-PE050	2x4x26AWG	5	PUR with Shield
M12N-FX-PE030	2x4x26AWG	3	PUR with Shield
M12N-FX-PE015	2x4x26AWG	1.5	PUR with Shield


M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
直型公接頭-裸線 straight plug, free cable end			
M12N-MX-R100	2x4x26AWG	10	PVC
M12N-MX-R050	2x4x26AWG	5	PVC
M12N-MX-R030	2x4x26AWG	3	PVC
M12N-MX-R015	2x4x26AWG	1.5	PVC
M12N-MX-RE100	2x4x26AWG	10	PVC with Shield
M12N-MX-RE050	2x4x26AWG	5	PVC with Shield
M12N-MX-RE030	2x4x26AWG	3	PVC with Shield
M12N-MX-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-MX-P100	2x4x26AWG	10	PUR
M12N-MX-P050	2x4x26AWG	5	PUR
M12N-MX-P030	2x4x26AWG	3	PUR
M12N-MX-P015	2x4x26AWG	1.5	PUR
M12N-MX-PE100	2x4x26AWG	10	PUR with Shield
M12N-MX-PE050	2x4x26AWG	5	PUR with Shield
M12N-MX-PE030	2x4x26AWG	3	PUR with Shield
M12N-MX-PE015	2x4x26AWG	1.5	PUR with Shield


M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, Straight Socket			
M12N-FMX-R030	2x4x26AWG	3.0	PVC
M12N-FMX-R015	2x4x26AWG	1.5	PVC
M12N-FMX-R006	2x4x26AWG	0.6	PVC
M12N-FMX-R003	2x4x26AWG	0.3	PVC
M12N-FMX-RE030	2x4x26AWG	3.0	PVC with Shield
M12N-FMX-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-FMX-RE006	2x4x26AWG	0.6	PVC with Shield
M12N-FMX-RE003	2x4x26AWG	0.3	PVC with Shield
M12N-FMX-P030	2x4x26AWG	3.0	PUR
M12N-FMX-P015	2x4x26AWG	1.5	PUR
M12N-FMX-P006	2x4x26AWG	0.6	PUR
M12N-FMX-P003	2x4x26AWG	0.3	PUR
M12N-FMX-PE030	2x4x26AWG	3.0	PUR with Shield
M12N-FMX-PE015	2x4x26AWG	1.5	PUR with Shield
M12N-FMX-PE006	2x4x26AWG	0.6	PUR with Shield
M12N-FMX-PE003	2x4x26AWG	0.3	PUR with Shield


M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, Straight Socket			
M12N-FJX-R100	2x4x26AWG	10	PVC
M12N-FJX-R050	2x4x26AWG	5	PVC
M12N-FJX-R030	2x4x26AWG	3	PVC
M12N-FJX-R015	2x4x26AWG	1.5	PVC
M12N-FJX-RE100	2x4x26AWG	10	PVC with Shield
M12N-FJX-RE050	2x4x26AWG	5	PVC with Shield
M12N-FJX-RE030	2x4x26AWG	3	PVC with Shield
M12N-FJX-RE015	2x4x26AWG	1.5	PVC with Shield
M12N-FJX-P100	2x4x26AWG	10	PUR
M12N-FJX-P050	2x4x26AWG	5	PUR
M12N-FJX-P030	2x4x26AWG	3	PUR
M12N-FJX-P015	2x4x26AWG	1.5	PUR
M12N-FJX-PE100	2x4x26AWG	10	PUR with Shield
M12N-FJX-PE050	2x4x26AWG	5	PUR with Shield
M12N-FJX-PE030	2x4x26AWG	3	PUR with Shield
M12N-FJX-PE015	2x4x26AWG	1.5	PUR with Shield


M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
彎型母接頭-裸線 90° socket, free cable end			
M12L-FX-R100	2x4x26AWG	10	PVC
M12L-FX-R050	2x4x26AWG	5	PVC
M12L-FX-R030	2x4x26AWG	3	PVC
M12L-FX-R015	2x4x26AWG	1.5	PVC
M12L-FX-RE100	2x4x26AWG	10	PVC with Shield
M12L-FX-RE050	2x4x26AWG	5	PVC with Shield
M12L-FX-RE030	2x4x26AWG	3	PVC with Shield
M12L-FX-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-FX-P100	2x4x26AWG	10	PUR
M12L-FX-P050	2x4x26AWG	5	PUR
M12L-FX-P030	2x4x26AWG	3	PUR
M12L-FX-P015	2x4x26AWG	1.5	PUR
M12L-FX-PE100	2x4x26AWG	10	PUR with Shield
M12L-FX-PE050	2x4x26AWG	5	PUR with Shield
M12L-FX-PE030	2x4x26AWG	3	PUR with Shield
M12L-FX-PE015	2x4x26AWG	1.5	PUR with Shield


M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
彎型公接頭-裸線 90° plug, free cable end			
M12L-MX-R100	2x4x26AWG	10	PVC
M12L-MX-R050	2x4x26AWG	5	PVC
M12L-MX-R030	2x4x26AWG	3	PVC
M12L-MX-R015	2x4x26AWG	1.5	PVC
M12L-MX-RE100	2x4x26AWG	10	PVC with Shield
M12L-MX-RE050	2x4x26AWG	5	PVC with Shield
M12L-MX-RE030	2x4x26AWG	3	PVC with Shield
M12L-MX-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-MX-P100	2x4x26AWG	10	PUR
M12L-MX-P050	2x4x26AWG	5	PUR
M12L-MX-P030	2x4x26AWG	3	PUR
M12L-MX-P015	2x4x26AWG	1.5	PUR
M12L-MX-PE100	2x4x26AWG	10	PUR with Shield
M12L-MX-PE050	2x4x26AWG	5	PUR with Shield
M12L-MX-PE030	2x4x26AWG	3	PUR with Shield
M12L-MX-PE015	2x4x26AWG	1.5	PUR with Shield

M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, 90° Socket			
M12L-FMX-R030	2x4x26AWG	3.0	PVC
M12L-FMX-R015	2x4x26AWG	1.5	PVC
M12L-FMX-R006	2x4x26AWG	0.6	PVC
M12L-FMX-R003	2x4x26AWG	0.3	PVC
M12L-FMX-RE030	2x4x26AWG	3.0	PVC with Shield
M12L-FMX-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-FMX-RE006	2x4x26AWG	0.6	PVC with Shield
M12L-FMX-RE003	2x4x26AWG	0.3	PVC with Shield
M12L-FMX-P030	2x4x26AWG	3.0	PUR
M12L-FMX-P015	2x4x26AWG	1.5	PUR
M12L-FMX-P006	2x4x26AWG	0.6	PUR
M12L-FMX-P003	2x4x26AWG	0.3	PUR
M12L-FMX-PE030	2x4x26AWG	3.0	PUR with Shield
M12L-FMX-PE015	2x4x26AWG	1.5	PUR with Shield
M12L-FMX-PE006	2x4x26AWG	0.6	PUR with Shield
M12L-FMX-PE003	2x4x26AWG	0.3	PUR with Shield

M12 X CODE 選購表

規格 Type	線芯 Conductor normal cross section (mm ²)	線長度 Cable length(m)	外背/隔離 (Jacket/Shield)
延長電纜 公母連接 Linking Cable, 90° Socket			
M12L-FJX-R100	2x4x26AWG	10	PVC
M12L-FJX-R050	2x4x26AWG	5	PVC
M12L-FJX-R030	2x4x26AWG	3	PVC
M12L-FJX-R015	2x4x26AWG	1.5	PVC
M12L-FJX-RE100	2x4x26AWG	10	PVC with Shield
M12L-FJX-RE050	2x4x26AWG	5	PVC with Shield
M12L-FJX-RE030	2x4x26AWG	3	PVC with Shield
M12L-FJX-RE015	2x4x26AWG	1.5	PVC with Shield
M12L-FJX-P100	2x4x26AWG	10	PUR
M12L-FJX-P050	2x4x26AWG	5	PUR
M12L-FJX-P030	2x4x26AWG	3	PUR
M12L-FJX-P015	2x4x26AWG	1.5	PUR
M12L-FJX-PE100	2x4x26AWG	10	PUR with Shield
M12L-FJX-PE050	2x4x26AWG	5	PUR with Shield
M12L-FJX-PE030	2x4x26AWG	3	PUR with Shield
M12L-FJX-PE015	2x4x26AWG	1.5	PUR with Shield